COLUMBIA

Hand Knit Fashions

price 50¢ | volume 112

CHECKMATES No. 1201 ⟶

instructions page 21

← on cover

DINNER DATE No. 1200

instructions page 20

MARY LOUISE CUSTIS—fashion director

photography—CONANT-BRADLEY

PRINTED IN U.S.A. FIRST EDITION
COPYRIGHT 1948—JAMES LEES AND SONS COMPANY

CRUISER No. 1202

designed by AUDREA of Hollywood
sizes 14, 16 and 18
two-piece ensemble,
original knitted of COLUMBIA CATALINA

MATERIALS REQUIRED:

Columbia Catalina (1 ounce skein)

	Size 14	Size 16	Size 18
White No. 7318 (Color 1)	15 Skeins	16 Skeins	17 Skeins
Radar Blue No. 7307 (Color 2)	21 Skeins	23 Skeins	25 Skeins

—OR—

Columbia Colana (1 ounce ball)

	Size 14	Size 16	Size 18
Color 1	15 Balls	16 Balls	17 Balls
Color 2	21 Balls	23 Balls	25 Balls

—OR—

Columbia Marcelaine (1 ounce ball)

	Size 14	Size 16	Size 18
Color 1	13 Balls	14 Balls	15 Balls
Color 2	18 Balls	20 Balls	21 Balls

Knitting Needles: 1 Pair Standard Size 2—14 inch
1 Steel Circular Skirt Needle Standard Size 2—29 inch

Gauge: 8 Sts. to 1 inch

1 Steel Crochet Hook Size 2

This garment can also be made in Columbia Zephyrdown, Sports Yarn or Fingering Yarn, using Size 3 Needles. For yarn amounts see page 30.

SIZES: 14 16 18

SKIRT: On Circular Needle with Radar Blue cast on
400 Sts. 410 Sts. 420 Sts.
join, being careful not to twist Sts. K. around until work measures 4 inches from start.

Decrease 10 Sts. on next row as follows:
*K.38 *K.39 *K.40
K.2 together, repeat from *around. Continue to decrease 10 Sts. in this manner (having 1 St. less between decreases on each decreasing row)

every 3 inches	.....	.....	2 times
every 2 inches	8 times	9 times	6 times
then every inch	3 times	1 time	1 time

Sts. on Needle: (hipline, 23 inches from start)
280 Sts. 300 Sts. 320 Sts.

Continue to decrease 10 Sts. around every inch

	6 times	4 times	4 times
more, then every ½ inch	.....	3 times	3 times
Sts. on Needle:	220 Sts.	230 Sts.	250 Sts.

When Skirt measures 29 inches (or desired length) from start, work in Ribbing of K.1, P.1, for 1 inch, bind off.

Crochet casing for elastic at inside of waistband (see page 32). Work 1 row of S.C. around bottom of Skirt.

JACKET—BACK: Wind 4 Balls or Bobbins of Radar Blue for Stripes at Back and 5 Balls of White.

With White and Straight Needles cast on
129 Sts. 137 Sts. 145 Sts.
Work in Stockinette St. even for 1 inch, then decrease and increase as follows:

AT EACH SIDE: Decrease 1 St. each side, then every ½ inch 9 times more (decreasing 10 Sts. each side), work 2 inches even, increase 1 St. each side, then every ½ inch 5 times more (increasing 6 Sts. each side).

DARTS: 1 inch from start place a marker in 40th St. from each side, decrease 1 St. each side of each marker, then every inch 3 times more (decreasing 8 Sts. in each dart). When work measures 7 inches from start, place a marker in 24th St. from each side and increase 1 St. each side of each marker, then every inch 3 times more and

AT THE SAME TIME when work measures 3 inches from start, join Radar Blue at center and work Stripes as follows: K. center St. with Blue, then work 2 Sts. more with Blue every row, using 2 Balls of White (always twisting the 2 strands when changing Color). When there are 23 Sts. of Blue, join White in center and K.1 St. with White, then join 2nd Ball of Radar Blue and continue to work 12 Sts. each side with Blue (moving Blue Stripe 1 St. every row towards side edges) and work 2 Sts. more with White at center until there are 23 Sts. of White at center. Join 3rd Ball of Radar Blue at center and 4th Ball of White and work 2nd Blue Stripe same as first. When there are 23 Sts. of Blue at center, join White at center and continue as before until the 2nd Blue Stripe ends at each side.

When work measures 12½ inches from start,
Sts. on Needle: 121 Sts. 129 Sts. 137 Sts.

To Shape Armholes: Decrease 1 St. each side every row 15 times, then increase 1 St. each side every inch 7 times.
Sts. on Needle: 105 Sts. 113 Sts. 121 Sts.

When Back measures 22 inches from start (measured straight),

To Shape Shoulders: Bind off 6 Sts. at beginning of each of the next 8 rows, then
7 Sts. 8 Sts. 9 Sts.
at beginning of next 4 rows. Bind off remaining Sts. for back of neck.

RIGHT FRONT: With White cast on
64 Sts. 68 Sts. 72 Sts.
Work front edge even. Decrease at side edge and work 1 Dart at center same as for Back.

(Continued on page 23)

ALL-TIMER No. 1203

sizes 14, 16 and 18
one-piece dress,
original knitted of COLUMBIA CATALINA

MATERIALS REQUIRED:

Columbia Catalina (1 ounce skein)

	Size 14	Size 16	Size 18
Beauvais No. 7334	30 Skeins	33 Skeins	36 Skeins

—OR—

Columbia Marcelaine (1 ounce ball)

Size 14	Size 16	Size 18
26 Balls	28 Balls	31 Balls

—OR—

Columbia Colana (1 ounce ball)

Size 14	Size 16	Size 18
30 Balls	33 Balls	36 Balls

Knitting Needles: 1 Pair Standard Size 2—14 inch
1 Steel Circular Skirt Needle Standard Size 2—29 inch

Gauge: 8 Sts. to 1 inch
1 Steel Crochet Hook Size 2
This garment can also be made in Columbia Fingering Yarn, Zephyrdown or Sports Yarn, using Size 3 Needles. For yarn amounts see page 30.

SIZES:	14	16	18

SKIRT: With Circular Needle cast on 520 Sts. Join, being careful not to twist Sts. K. 2 inches even, then work Pattern St. Stripe as follows:
Row 1—P.
Rows 2 and 3—P.14, *K.2, P.18, repeat from *around, ending K.2, P.4.
Row 4—*P.10, K.2, P.2, K.2, P.2, K.2, repeat from * around.
Rows 5–11—Same as Row 4.
Row 12—*P.10, K.2 together, P.2 together, slip next 2 Sts. on a safety pin and leave in front of work, P.2 together, K.2 together, repeat from * around.
Row 13—*P.10, K. the 4th St. on left hand needle (inserting needle from left to right across the front of work), leaving St. on needle, P. first 3 Sts., drop loop of 4th St. off the needle, repeat from *around.
Row 14—*P.10, increase 1 St. in each of the next 2 Sts., then K. the 2 Sts. from pin, increase 1 St. in each of the next 2 Sts., repeat from * around.
Rows 15–22—Same as Row 4.
Rows 23 and 24—Same as Row 2.
Row 25—P.
Row 26—K.

Knit	1½"	1½"	2"

even, then decrease as follows: *K.24, K.2 together, repeat from * around (20 Sts. decreased).

Decrease 20 Sts. in this manner (having 1 St. less between decreases) every inch

5 times	5 times	4 times

more.

Sts. on Needle:	400 Sts.	400 Sts.	420 Sts.
Work	1½"	1½"	2"

even, then work Pattern Stripe as before.

Work	1½"	2"	2"

then decrease 20 Sts. as before every inch

6 times	5 times	5 times

Work	1½"	2"	2"

even.

Sts. on Needle: (23 inches from start)

280 Sts.	300 Sts.	320 Sts.

Work Pattern Stripe. K. ½ inch even, then decrease 10 Sts. as follows:

*K.26	*K.28	*K.30

K.2 together, repeat from * around. Decrease 10 Sts. in this manner (having 1 St. less between decreases) every ½ inch

6 times	6 times	7 times

more.

Sts. on Needle:	210 Sts.	230 Sts.	240 Sts.

When work measures 30 inches (or desired length), bind off.

Crochet casing at waist (see page 32) for elastic. Work 3 rows of S.C. at waist and at bottom of Skirt.

BLOUSE—BACK: With Straight Needles cast on

102 Sts.	110 Sts.	118 Sts.

Work in Stockinette St. increasing 1 St. each side every ½ inch 4 times, at the same time on 4th increasing row start Pattern Stripe as follows:
Row 1—(right side) Increase 1 St. in first St., P. across to last St., increase 1 St. in last St.

Row 2—	K.14	K.18	K.22

*P.2, K.18 repeat from *across, ending P.2

K.14	K.18	K.22

Row 3—	P.14	P.18	P.22

*K.2, P.18, repeat from *across, ending K.2

P.14	P.18	P.22

Row 4—	K.10	K.14	K.18

*P.2, K.2, P.2, K.2, P.2, K.10, repeat from *across, ending P.2, K.2, P.2, K.2, P.2,

K.10	K.14	K.18

Row 5—	P.10	P.14	P.18

*K.2, P.2, K.2, P.2, K.2, P.10, repeat from *across, ending K.2, P.2, K.2, P.2, K.2,

P.10	P.14	P.18

Rows 6, 8 and 10—Same as Row 4.
Rows 7, 9 and 11—Same as Row 5.

Row 12—	K.10	K.14	K.18

*P.2 together, K.2 together, slip next 2 Sts. on a safety pin and leave in back of work, K.2 together, P.2 together, K.10, repeat from * across, ending

K.10	K.14	K.18

(Continued on page 24)

GIBSON JUMPER No. 1204

designed by AUDREA of Hollywood
sizes 14, 16 and 18
jumper,
original knitted of COLUMBIA CATALINA

MATERIALS REQUIRED:

Columbia Catalina (1 ounce skein)

	Size 14	Size 16	Size 18
Radar Blue No. 7307	21 Skeins	23 Skeins	25 Skeins

—OR—

Columbia Marcelaine (1 ounce ball)

Size 14	Size 16	Size 18
18 Balls	20 Balls	21 Balls

—OR—

Columbia Colana (1 ounce ball)

Size 14	Size 16	Size 18
21 Balls	23 Balls	25 Balls

Knitting Needles: 1 Pair Standard Size 2—14 inch
1 Steel Circular Skirt Needle Standard Size 2—29 inch

Gauge: 8 Sts. to 1 inch

1 Steel Crochet Hook Size 2

This garment can also be made in Columbia Sports Yarn or Fingering Yarn, using Size 3 Needles. For yarn amounts see Page 30.

SIZES: 14 16 18

SKIRT: With Circular Needle cast on

400 Sts. 414 Sts. 428 Sts.

Join, being careful not to twist Sts. K. around even for 5 inches.

Next row decrease 10 Sts. by

*K.38	*K.39	*K.40
K.2 together	K.2 together	K.2 together

repeat from * around.

Decrease 10 Sts. every 2 inches (having 1 St. less between decreases every decreasing row) 7 times, then every inch 3 times.

Sts. on Needle: (22 inches from start)

290 Sts. 304 Sts. 318 Sts.

Decrease every inch 5 times more. Work 1 inch even, then decrease 20 Sts. around.

Sts. on Needle: 220 Sts. 234 Sts. 248 Sts.

Work in Ribbing of K.1, P.1, for 2 inches, bind off in Ribbing.

Crochet casing for elastic (see Page 32) at inside of Ribbing. Work 1 row of S.C. around bottom of Skirt.

SHOULDER STRAP: Cast on 10 Sts.

To Shape Points at Edge: *Increase 1 St. each side every 4th row 6 times, then decrease 1 St. each side every 4th row 6 times, repeat from * 8 times more (9 points), at the same time to widen the Strap increase 1 St. each side (inside of points) every inch 13 times (48 Sts. on Needle at center of 5th point), then decrease 1 St. each side in same manner every inch 13 times (10 Sts. on Needle at end of 9th point). Bind off. Make other Shoulder Strap the same.

Sew to Skirt 2½ inches apart at center Front and Back. Work 1 row of S.C. around Straps.

Belt: Vogue Belts, New York.

CITY LIFE No. 1205

sizes 14, 16 and 18
one-piece dress,
original knitted of COLUMBIA FINGERING YARN
dyed to match FORSTMANN FABRICS
Forstmann coat, VOGUE PATTERN no. 390

MATERIALS REQUIRED:

Columbia Fingering Yarn (2 ounce skein)

	Size 14	Size 16	Size 18
Unicorn No. 8530	8 Skeins	9 Skeins	10 Skeins

—OR—

Columbia Sports Yarn (2 ounce ball)

Size 14	Size 16	Size 18
8 Balls	10 Balls	11 Balls

—OR—

Columbia Zephyrdown (1 ounce ball)

Size 14	Size 16	Size 18
13 Balls	14 Balls	15 Balls

Knitting Needles: 1 Pair Standard Size 3—14 inch

Gauge: 8 Sts. to 1 inch

1 Steel Crochet Hook Size 2

This garment can also be made in Columbia Catalina, Colana or Marcelaine, using Size 2 Needles. For yarn amounts see Page 30.

SIZES: 14 16 18

SKIRT:

PATTERN STITCH FOR LEFT FRONT PANEL: (Multiple of 16 Sts.)
(Moving Diagonal Pattern to the right.)
Row 1—*K.8, ** yarn forward, slip 1 as if to P., yarn back, K.1, repeat from ** 3 times more, repeat from * across row.
Row 2—and all even rows P.
Row 3—K.7, *(slip 1, K.1) 4 times (as in Row 1), K.8, repeat from *across, ending K.1.
Row 5—K.6, repeat from * of Row 3 across, ending K.2.
Row 7—K.5, repeat from * of Row 3 across, ending K.3.
Row 9—K.4, repeat from * of Row 3 across, ending K.4.
Row 11—K.3, repeat from * of Row 3 across, ending K.5.
Row 13—K.2, repeat from * of Row 3 across, ending K.6.
Row 15—K.1, repeat from * of Row 3 across, ending K.7.
Row 17—Repeat from * of Row 3 across row.
Row 19—K.1, (slip 1, K.1) 3 times, *K.8, (slip 1, K.1) 4 times, repeat from * across, ending yarn forward, slip 1.
Row 21—(Slip 1, K.1) 3 times, repeat from * of Row 19 across, ending slip 1, K.1.
Row 23—K.1, (slip 1, K.1) 2 times, repeat from * of Row 19 across, ending slip 1, K.1, slip 1.
Row 25—(Slip 1, K.1) 2 times, repeat from * of Row 19 across, ending (slip 1, K.1) 2 times.
Row 27—K.1, slip 1, K.1, repeat from * of Row 19 across, ending (slip 1, K.1) 2 times, slip 1.
Row 29—Slip 1, K.1, repeat from * of Row 19, ending (slip 1, K.1) 3 times.
Row 31—K.1, repeat from * of Row 19 across, ending (slip 1, K.1) 3 times, slip 1.
Row 32—P.
Repeat Pattern from Row 1 (being careful to keep diagonal line when decreasing).

Cast on	128 Sts.	128 Sts.	144 Sts.
Work in Pattern St. even for	4"	6"	4"
Decrease 1 St. each side, then every inch 15 times more, then every ½ inch	20 times	16 times	20 times
Sts. on Needle:	56 Sts.	64 Sts.	72 Sts.

When Panel measures 30 inches from start (or desired length), bind off.
Work Right Back Panel the same.

RIGHT FRONT PANEL: Cast on

128 Sts.	128 Sts.	144 Sts.

decrease same as Left Front Panel, moving diagonal Pattern to the left as follows:
Row 1—*(Yarn in front slip 1, yarn in back K.1) 4 times, K.8, repeat from * across row.
Row 2—and all even rows P.
Row 3—K.1, *(slip 1, K.1) 4 times, K.8, repeat from * across, ending K.7.
Row 5—K.2, *(slip 1, K.1) 4 times, K.8, repeat from * across, ending K.6.
Row 7—K.3, *(slip 1, K.1) 4 times, K.8, repeat from * across, ending K.5.
Row 9—K.4, *(slip 1, K.1) 4 times, K.8, repeat from * across, ending K.4.
Row 11—K.5, *(slip 1, K.1) 4 times, K.8, repeat from * across, ending K.3.
Row 13—K.6, *(slip 1, K.1) 4 times, K.8, repeat from * across, ending K.2.
Row 15—K.7, *(slip 1, K.1) 4 times, K.8, repeat from * across, ending K.1.
Row 17—*K.8, (slip 1, K.1) 4 times, repeat from * across row.
Row 19—K.1, *K.8, (slip 1, K.1) 4 times, repeat from * across, ending (slip 1, K.1) 3 times, slip 1.
Row 21—Slip 1, K.1, *K.8 (slip 1, K.1) 4 times, repeat from * across, ending (slip 1, K.1) 3 times.
Row 23—K.1, slip 1, K.1, *K.8, (slip 1, K.1) 4 times, repeat from * across, ending (slip 1, K.1) 2 times, slip 1.
Row 25—(Slip 1, K.1) 2 times, *K.8, (slip 1, K.1) 4 times, repeat from * across, ending (slip 1, K.1) 2 times.
Row 27—(Slip 1, K.1) 2 times, slip 1, *K.8, (slip 1, K.1) 4 times, repeat from * across, ending slip 1, K.1, slip 1.
Row 29—(Slip 1, K.1) 3 times, *K.8, (slip 1, K.1) 4 times, repeat from *across, ending slip 1, K.1.
Row 31—(Slip 1, K.1) 3 times, slip 1, *K.8, (slip 1, K.1) 4 times, repeat from *across, ending slip 1.
Row 32—P.
Repeat Pattern from Row 1 (being careful to keep diagonal line when decreasing). Bind off.
Work Left Back Panel the same.
Sew seams matching Pattern, leaving 4 inches open on left side for placket. Work 1 row of S.C. around bottom edge.

BLOUSE—BACK: Cast on

128 Sts.	128 Sts.	144 Sts.

Work in Diagonal Pattern St. same as Right Front Skirt Panel, starting with Pattern Row 17. Work even for 1 inch.
Increase 1 St. each side, then every 8th row

7 times	11 times	7 times

more.

(Continued on page 25)

THREESOME

topper number 1206—sizes 14, 16 and 18
hat number 1206-a
original topper and hat made
of COLUMBIA FEATHERWEIGHT
KNITTING WORSTED
dyed to match FORSTMANN FABRICS
Forstmann dress—VOGUE PATTERN no. 6148

Topper No. 1206

MATERIALS REQUIRED:

Columbia Featherweight Knitting Worsted (2 ounce skein)

	Size 14	Size 16	Size 18
Persia No. 7766	22 Skeins	23 Skeins	24 Skeins

—OR—

Columbia Sock and Sweater Yarn (2 ounce ball)

Size 14	Size 16	Size 18
21 Balls	22 Balls	23 Balls

(use 2 strands of yarn throughout except for hems)

Knitting Needles: 1 Pair Standard Size 4—14 inch

Gauge: 6 Sts. to 1 inch.

SIZES: 14 16 18

PATTERN STITCH: (Multiple of 5 Sts. plus 2)
Row 1—*P.2, K.2, yarn in back, slip 1 St. (as if to purl), repeat from * across row, ending P.2.
Row 2—*K.2, yarn forward, slip 1, P.2, repeat from * across row, ending K.2.
Row 3—*P.2, skip 2 Sts., K. the slip St. of previous row in front (3rd St. on left hand needle) but do not slip St. off the needle, K. first St. on left hand needle, yarn in back, slip next St. (as if to purl), drop next loop off needle,(the slip St. of previous row), repeat from * across row, end P.2.
Repeat Rows 2 and 3 for Pattern St. using 2 strands of yarn.

BACK: With single strand of yarn cast on

122 Sts.	132 Sts.	142 Sts.

Work in Stockinette St. for 5 rows, then K.1 row on wrong side for turn of hem. Join second strand of yarn and work in Pattern St. for

17"	17½"	18"

To Shape Armholes: Bind off 8 Sts. at beginning of each of the next 2 rows, then 2 Sts. at beginning of next 6 rows, then decrease 1 St. each side every other row 6 times.

Sts. on Needle:	82 Sts.	92 Sts.	102 Sts.

When armhole measures

7½"	8"	8½"

(measured straight from bound-off Sts. at underarm),

To Shape Shoulders: Bind off

14 Sts.	16 Sts.	18 Sts.

at beginning of each of the next 4 rows, bind off remaining

26 Sts.	28 Sts.	30 Sts.

for back of neck.

LEFT FRONT: With single strand of yarn cast on

42 Sts.	47 Sts.	52 Sts.

Work hem as on Back, casting on 25 Sts. at end of 5th row, then K.

67 Sts.	72 Sts.	77 Sts.

for turn of hem. Join second strand of yarn and work in Pattern St. same length as Back to underarm.

(Continued on page 25)

Hat No. 1206-a

MATERIALS REQUIRED:

Columbia Featherweight Knitting Worsted (2 ounce skein)

Persia No. 7766—2 Skeins

2—125 yard spools Lightweight Gold Thread

1 Composition Crochet Hook Standard Size 7—6 inch

Gauge: 3 Sts. to 1¼inch (Crown)
3½ Sts. to 1 inch (Brim)

CROWN OF HAT: Using 2 strands of Gold Thread and 1 strand of yarn, make a slip loop on hook.

Row 1—Work 6 S.C. in loop.

Row 2—2 S.C. in each St. (12 S.C.)

Row 3—(Tie colored thread at start of row for marker) *1 S.C. in first St., 2 S.C. in next St., repeat from * around (18 Sts.).

Row 4—*1 S.C. in each of 2 Sts., 2 S.C. in next St., repeat from * around. (24 Sts.)

Continue to increase 6 Sts. each round until top of Crown measures 6 inches in diameter, then work even for ½ inch.

Now tie a marker at each side of Hat, separating Front from Back and work Front of Hat even for 5 rows, at the same time increasing to shape Back of Hat as follows:

Row 1—Increase 1 St. in every 6th St. across Back of Hat (between markers).

Row 2—Work even.

Row 3—Same as Row 1.

Row 4—Work even.

Row 5—Same as Row 1.
Now work even all around for 3 inches more. Break Gold Thread.

BRIM: With double strand of yarn work 1 row even, then increase 1 St. in every 10th St. for 4 rows. Work even for 2 inches, then decrease as follows:

Row 1—Decrease by working every 5th and 6th St. together as one St.

Row 2—(Last row) work every 4th and 5th St. together as one St. Steam lightly on wrong side. Roll back Brim.

CRISS-CROSS CLASSIC No. 1207

designed by AUDREA of Hollywood
sizes 14 and 16
one-piece dress,
original knitted of COLUMBIA CATALINA

MATERIALS REQUIRED:

Columbia Catalina (1 ounce skein)

	Size 14	Size 16
Clover Mauve No. 7309	16 Skeins	21 Skeins
White No. 7318	10 Skeins	12 Skeins

—OR—

Columbia Marcelaine (1 ounce ball)

	Size 14	Size 16
Dark Color	14 Balls	18 Balls
Light Color	9 Balls	11 Balls

—OR—

Columbia Colana (1 ounce ball)

	Size 14	Size 16
Dark Color	16 Balls	21 Balls
Light Color	10 Balls	12 Balls

Knitting Needles: 1 Pair Standard Size 3—14 inch
1 Steel Circular Skirt Needle Standard Size 3—29 inch
Gauge: 7 Sts. to 1 inch
1 Steel Crochet Hook Size 3
This garment can also be made in Columbia Sports Yarn or Fingering Yarn, using Size 4 Needles. For yarn amounts see Page 30.

SIZES: 14 16

SKIRT: With Circular Needle and Clover Mauve cast on
340 Sts. 360 Sts.
join, being careful not to twist Sts. K. around for 4 inches. (for 30 inch Skirt; for shorter Skirt make adjustments here).
Decrease 10 Sts. on next row as follows:
*K.32 *K.34
K.2 together K.2 together
repeat from * around.
Work 3 inches even.
On next row *K.31 *K.33
K.2 together K.2 together
repeat from * around. Continue to decrease 10 Sts. in this manner every 3 inches 4 times more, then every 2 inches 2 times, having 1 St. less between decreases on each decreasing row.

Sts. on Needle: (23 inches from start)
260 Sts. 280 Sts.
Divide Sts. in half, leaving
130 Sts. 140 Sts.
on Circular Needle or St. Holder for Back. With Straight Needles work Front from Chart (see Page 29) to underarm, decreasing and increasing at each side as indicated. Do not carry yarn across back of work but use 4 balls of Clover Mauve and 3 balls of White (always twisting strands when changing color).

Sts. on Needle at underarm:
120 Sts. 130 Sts.

To Shape Cap Sleeves: (Continuing Pattern) Increase 1 St. each side every row 13 times, then increase 1 St. each side every ½ inch 15 times 10 times
at the same time when sleeve edge measures 7 inches (measured straight),

To Shape Neck: Bind off 28 Sts. at center. Work each Shoulder separately for 1 inch (74 Sts. in each shoulder).

To Shape Shoulder: Bind off 5 Sts. at sleeve edge every other row 7 times, then 6 Sts. every other row 3 times, then 7 Sts. every other row 3 times.
Shape other Shoulder to correspond.

Work Back in Pattern same as Front, until sleeve edge measures 4 inches. Divide Sts. and work each side separately to Shoulder. Bind off Shoulders same as Front, bind off remaining Sts. for back of neck. Sew shoulder seams. Sew underarm seams, leaving 9 inches open at Left side for placket.

With Clover Mauve work 1 row of S.C. around bottom of Skirt. Work 1 row of S.C. around armhole edge, neck edge and back opening matching color of Pattern. Sew slide fastener in back opening and placket.

Belt: Vogue Belts, New York.

HAREM SILHOUETTE No. 1208

sizes 14, 16 and 18
one-piece dress with draped Sash,
original knitted of COLUMBIA MARCELAINE

MATERIALS REQUIRED:

Columbia Marcelaine (1 ounce ball)

Urban Green No. 8119	Size 14 35 Balls	Size 16 37 Balls	Size 18 39 Balls

—OR—

Columbia Colana (1 ounce ball)

Size 14	Size 16	Size 18
42 Balls	45 Balls	47 Balls

—OR—

Columbia Catalina (1 ounce skein)

Size 14	Size 16	Size 18
42 Skeins	45 Skeins	47 Skeins

Knitting Needles: 1 Pair Standard Size 1—14 inch

Gauge: 9 Sts. to 1 inch
1 Steel Crochet Hook Size 2
This garment can also be made in Columbia Fingering Yarn, Sports Yarn or Zephyrdown, using Size 2 Needles. For yarn amounts see page 30.

SIZES: 14 16 18

SKIRT—BACK: Cast on
218 Sts. 226 Sts. 234 Sts.
Work in Stockinette St. for 1¼ inches, P. 1 row on right side of work for turn of hem.
Work even for 3 inches, then decrease 6 Sts. across row as follows:
K.23 K.27 K.31
*K.2 together, K.32, repeat from * 4 times more, K.2 together,
K.23 K.27 K.31
Continue to decrease 6 Sts. across row (having 1 St. less between decreases) every 3 inches 3 times more, every 2 inches 2 times, every 1½ inches 2 times, then every 1 inch 8 times.
Sts. on Needle: 122 Sts. 130 Sts. 138 Sts.
When work measures 30 inches from P. row (or desired length), bind off.

Work Front of Skirt the same.

Sew seam at each side, leaving 5 inches open at left side for placket. Turn up hem and sew.

BLOUSE—BACK: Cast on
112 Sts. 122 Sts. 132 Sts.
Work in Stockinette St., increasing 1 St. each side every ½ inch 14 times.
Sts. on Needle: 140 Sts. 150 Sts. 160 Sts.
When work measures
8″ 8″ 8½″
from start,

To Shape Armholes: Bind off 5 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 4 times.
Sts. on Needle: 122 Sts. 132 Sts. 142 Sts.

When armhole measures
8½″ 9″ 9″
(measured straight from bound-off Sts. at underarm),

To Shape Shoulders: Bind off
11 Sts. 12 Sts. 13 Sts.
at beginning of each of the next 4 rows, then
10 Sts. 11 Sts. 12 Sts.
at beginning of the next 4 rows, bind off remaining Sts. for back of neck.

RIGHT FRONT: Cast on 5 Sts. (Front edge). P.5. K.5, cast on 5 Sts. P.10. Continue to cast on 5 Sts. at end of

every K. row	10 times	11 times	12 times

more.
Sts. on Needle: 60 Sts. 65 Sts. 70 Sts.
Increase 1 St. at side edge every ½ inch 14 times.

When work measures same as Back to underarm (at side edge),

To Shape Armhole: Bind off 5 Sts. at side edge, then decrease 1 St. every other row 4 times.
Sts. on Needle: 65 Sts. 70 Sts. 75 Sts.

When front edge measures
11″ 11″ 11½″
from start.

To Shape Neck: Decrease 1 St. at front edge, then every

4th row	22 times	23 times	24 times

more.
Sts. on Needle: 42 Sts. 46 Sts. 50 Sts.

When armhole measures same as at Back,

To Shape Shoulder: Bind off
11 Sts. 12 Sts. 13 Sts.
every other row 2 times, then
10 Sts. 11 Sts. 12 Sts.
every other row 2 times.

Work Left Front to correspond (having increases and decreases at opposite sides).

(Continued on page 26)

CLASSIC CONTOUR No. 1209

sizes 14, 16 and 18
tunic dress,
original knitted of COLUMBIA CATALINA

MATERIALS REQUIRED:

Columbia Catalina (1 ounce skein)

	Size 14	Size 16	Size 18
Brier Brown No. 7312	34 Skeins	37 Skeins	40 Skeins

AND

Columbia Afghan Germantown (2 ounce skein)

	Size 14	Size 16	Size 18
White No. 7600	1 Skein	1 Skein	1 Skein

—OR—

Columbia Marcelaine (1 ounce ball)

Size 14	Size 16	Size 18
29 Balls	32 Balls	34 Balls

Columbia Afghan Germantown (2 ounce skein)

Size 14	Size 16	Size 18
1 Skein	1 Skein	1 Skein

—OR—

Columbia Colana (1 ounce ball)

Size 14	Size 16	Size 18
34 Balls	37 Balls	40 Balls

AND

Columbia Afghan Germantown (2 ounce skein)

Size 14	Size 16	Size 18
1 Skein	1 Skein	1 Skein

Knitting Needles: 1 Pair Standard Size 3—14 inch
1 Steel Circular Skirt Needle Standard Size 3—29 inch

Gauge: 7 Sts. to 1 inch

1 Steel Crochet Hook Size 2

This garment can also be made in Columbia Fingering Yarn or Sports Yarn, using Size 4 Needles. For yarn amounts see Page 30.

SIZES: 14 16 18

SKIRT: With Circular Needle cast on
432 Sts. 450 Sts. 468 Sts.
join, being careful not to twist Sts.

Row 1—*P.4, K.20 K.21 K.22
repeat from * around (18 Panels). Repeat Row 1 for 3 inches. Next row K.2 together in center of every K. Panel (18 Sts. decreased). Decrease 18 Sts. in this manner every 3 inches 2 times more, then every 2 inches 7 times.

Sts. on Needle: (hipline—23 inches from start)
252 Sts. 270 Sts. 288 Sts.

Work 2 inches even, decrease 1 St. in every K. Panel, then every 1 inch 2 times more. Work 1 inch even, then decrease 1 St. in

every other K. Panel	every K. Panel	every K. Panel
Sts. on Needle: 189 Sts.	198 Sts.	216 Sts.

When Skirt measures 30 inches (or desired length) from start, bind off.

Crochet casing for elastic (see Page 32) at inside of waistline. Work 1 row of S.C. at bottom of Skirt.

BLOUSE—FRONT: With Straight Needles cast on
130 Sts. 138 Sts. 146 Sts.

Work in Stockinette St. for 1 inch, then P.1 row on right side for turn of hem. Work even in Stockinette St. for 3 inches, then decrease 3 Sts. across row as follows:
*K.31 *K.33 *K.35

K.2 together, repeat from * 2 times more, ending
K.31 K.33 K.35

Decrease in this manner (having 1 St. less between decreases) every inch 3 times more, then every ¾ inch 4 times. Work ½ inch even, then decrease 2 Sts. across row (omit center decrease).

Sts. on Needle: 104 Sts. 112 Sts. 120 Sts.

When work measures 11½ inches from P. row of hem, work tightly in Ribbing of K.1, P.1, for 1 inch for waistline. Change to Stockinette St., increasing 1 St. each side every ¾ inch 6 times.

Sts. on Needle: 116 Sts. 124 Sts. 132 Sts.

When work measures 7 inches from Ribbing,

To Shape Armholes: Bind off 8 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 8 times, at the same time on 5th decreasing row start Pattern Stripe as follows:

2 rows White Germantown

2 rows Brown

Repeat these 4 rows 2 times more, work 2 rows White. Work 12 rows with Brown, then repeat the 14 rows of Stripe. Increase 1 St. each side, then every ½ inch 4 times more, at the same time 1½ inches from last White Stripe (on same row as 3rd increase),

To Shape Neck: Work across
33 Sts. 36 Sts. 39 Sts.
slip these Sts. on St. Holder, bind off
24 Sts. 26 Sts. 28 Sts.
then on remaining Sts. work Right Shoulder as follows: (Continuing increases at side edge) decrease 1 St. at neck edge every other row 5 times.

When armhole measures 8 inches (measured straight up from bound-off Sts. at underarm),

To Shape Shoulder: Bind off
10 Sts. 11 Sts. 12 Sts.
at side edge every other row 3 times.

Work Left Shoulder to correspond.

(Continued on page 27)

PETALLED PEPLUM No. 1210

sizes 12 to 14 and 16 to 18
two-piece costume,
original knitted of COLUMBIA CATALINA

MATERIALS REQUIRED:

Columbia Catalina (1 ounce skein)

	Size 12 to 14	Size 16 to 18
California Coral No. 7327	33 Skeins	36 Skeins

—OR—

Columbia Marcelaine (1 ounce ball)

Size 12 to 14	Size 16 to 18
28 Balls	31 Balls

—OR—

Columbia Colana (1 ounce ball)

Size 12 to 14	Size 16 to 18
33 Balls	36 Balls

Knitting Needles: 1 Pair Standard Size 2—14 inch

1 Steel Circular Skirt Needle Standard Size 2—29 inch

Gauge: 8 Sts. to 1 inch

1 Composition Crochet Hook Standard Size 2—6 inch

This garment can also be made in Columbia Zephyrdown, Sports Yarn or Fingering Yarn, using Size 3 Needles. For yarn amounts see Page 30.

SIZES:	**12 to 14**	**16 to 18**

SKIRT: With Circular Needle cast on

504 Sts.	522 Sts.

join, being careful not to twist Sts.

Row 1—	*K. 80, P.4	*K. 83, P.4

repeat from * around (6 gores). Repeat Row 1 for 4 inches. Next row decrease 4 Sts. evenly in every K. gore (decreasing 24 Sts.). Continue to decrease in this manner every 4 inches 2 times more, then every 2 inches 7 times.

Sts. on Needle:	264 Sts.	282 Sts.

Decrease in every K. gore (decreasing 24 Sts.) every inch 2 times more.

Sts. on Needle:	216 Sts.	234 Sts.

When Skirt measures 30 inches from start (or desired length), work in Ribbing of K.1, P.1 for 2 inches, bind off.

Work 1 row of S.C. around bottom edge of Skirt. Crochet casing for elastic at inside of waistband (casing see Page 32).

BLOUSE:
PATTERN STITCH: (Multiple of 14 Sts. plus 15)
Starting on wrong side of work,

Row 1—P.4, *with yarn in back of work, slip 7 Sts. (always slip as if to P.), bring yarn in front, P.7, repeat from * across, ending last Pattern, P.4.
Row 2—K.
Repeat Rows 1 and 2 two times more.
Row 7—Same as Row 1.
Row 8—K.7, *insert right hand needle under 4 loops of slip rows and K. the next St., bringing needle down under loops to finish stitch, K. 13 Sts., repeat from * across row, ending last Pattern, K.7.
Row 9—P.11, repeat from * of Row 1, ending P.11.
Row 10—K.
Repeat Rows 9 and 10 two times more.
Row 15—Same as Row 9.
Row 16—K.14, repeat from * of Row 8, ending K.14.
Repeat these 16 rows for Pattern.

BACK: Starting at Peplum with Straight Needles cast on

315 Sts.	329 Sts.

Place a marker between every

45 Sts.	47 Sts.

(6 markers). Working in Stockinette St. decrease 1 St. each side and at each side of every marker, every 3rd row 15 times.

Sts. on Needle:	105 Sts.	119 Sts.

Decrease 1 St. at beginning of next row and work in Ribbing of K.1, P.1 for 1 inch. Next row (right side of work), increase evenly (about every 5th St.) across row to

127 Sts.	141 Sts.

Next row (wrong side of work) start Pattern St. Work 2 inches even. Increase 1 St. each side, then every ½ inch 6 times more.

Sts. on Needle:	141 Sts.	155 Sts.

When work measures

7"	7½"

from Ribbing, increase 1 St. each side every other row 5 times, then cast on 5 Sts. at beginning of each of the next 2 rows for Cap Sleeves. Increase 1 St. each side every inch 7 times.

Sts. on Needle:	175 Sts.	189 Sts.

When sleeve edge measures 9 inches (measured straight from cast-on Sts. at underarm).

To Shape Shoulders: Bind off

28 Sts.	31 Sts.

at beginning of each of the next 2 rows, then bind off

12 Sts.	13 Sts.

at beginning of each of the next 6 rows. Bind off remaining Sts. for back of neck.

(Continued on page 27)

DINNER DATE No. 1200 (shown on cover)

sizes 14, 16 and 18
apron dress,
original knitted of COLUMBIA MARCELAINE

MATERIALS REQUIRED:

Columbia Marcelaine (1 ounce ball)

	Size 14	Size 16	Size 18
Pearl No. 8103 (Color 1)	33 Balls	36 Balls	38 Balls
Appleberry No. 8116 (Color 2)	2 Balls	2 Balls	2 Balls

—OR—

Columbia Catalina (1 ounce skein)

	Size 14	Size 16	Size 18
Color 1	39 Skeins	42 Skeins	45 Skeins
Color 2	2 Skeins	2 Skeins	2 Skeins

—OR—

Columbia Colana (1 ounce ball)

	Size 14	Size 16	Size 18
Color 1	39 Balls	42 Balls	45 Balls
Color 2	2 Balls	2 Balls	2 Balls

Knitting Needles: 1 Pair Standard Size 1—14 inch

Gauge: 9 Sts. to 1 inch

1 Steel Crochet Hook Size 4

This garment can also be made in Columbia Sports Yarn, Fingering Yarn or Zephyrdown, using Size 2 Needles. For yarn amounts see page 30.

SIZES: 14 16 18

SKIRT—BACK: With Pearl cast on
218 Sts. 226 Sts. 234 Sts.
Work in Stockinette St. for 1¼ inches, P. 1 row on right side of work for turn of hem.

Work even for 3 inches, then decrease 6 Sts. across row as follows:
K.23 K.27 K.31
*K.2 together, K.32, repeat from * 4 times more, K.2 together,
K.23 K.27 K.31
Continue to decrease 6 Sts. across row (having 1 St. less between decreases) every 3 inches 3 times more, every 2 inches 2 times, every 1½ inches 2 times, then every 1 inch 8 times.

Sts. on Needle: 122 Sts. 130 Sts. 138 Sts.
When work measures 30 inches from P. row (or desired length), bind off.

Work Front of Skirt the same.

Sew seam at each side, leaving 5 inches open at left side for placket. Turn up hem and sew.

BLOUSE—RIGHT FRONT: Cast on
60 Sts. 64 Sts. 68 Sts.
Working in Stockinette St. work even at side edge and increase 1 St. at center edge every 5th row 37 times (185 rows), at the same time when side edge measures
8½" 8½" 9"
from start,

To Shape Armhole: Bind off 6 Sts. at side edge, then 4 Sts., then 2 Sts., then decrease 1 St. every other row
4 times 5 times 6 times

When armhole measures
8" 8" 8½"
(measured straight from bound-off Sts. at underarm),

To Shape Shoulder: Bind off
27 Sts. 28 Sts. 29 Sts.
at armhole edge, P.2 together across remaining Sts. Bind off.

Work Left Front to correspond (having increases and decreases at opposite sides).

BACK: Work Left Back same as Right Front to underarm.

To Shape Armhole: Bind off 6 Sts. at side edge then 2 Sts., then decrease 1 St. every other row 4 times, then decrease 1 St. at armhole edge every 5th row for every increase at center edge until armhole measures
7½" 7½" 8"

To Shape Neck: Bind off 3 Sts. at center edge every other row 3 times, then

To Shape Shoulder and Neck: Bind off
16 Sts. 17 Sts. 18 Sts.
at armhole edge, work to end of row. Bind off 7 Sts. at neck edge, work to end of row.
Repeat last 2 rows once, then bind off remaining Sts.
Work Right Back to correspond.

SLEEVES: Cast on
64 Sts. 66 Sts. 68 Sts.
Work in Stockinette St. for 1 inch even, P.1 row on right side for turn of hem. Increase 1 St. each side every 7th row 30 times.

Sts. on Needle: 124 Sts. 126 Sts. 128 Sts.
When Sleeve measures 16 inches from P. row (or desired length to underarm), bind off 6 Sts. at beginning of each of the next 2 rows, then 4 Sts. each side, then 2 Sts. each side, then decrease 1 St. at beginning of each row 60 times. Bind off 2 Sts. at beginning of each row 6 times, then 4 Sts. 2 times, bind off remaining Sts.

Sew shoulder seams for
5" 5½" 5½"
(gathering fullness of Fronts), sew center seam at Front for 13 inches. Sew Sleeves in place, sew sleeve and underarm seams, leaving 4 inches open at left side for placket. Sew center seam at Back for 12 inches. Work 1 row of S.C. at back opening and neck edge. Sew slide fasteners in back opening and in placket. Turn up hem of Sleeves and sew. Sew Blouse to Skirt.

(Continued on page 23)

CHECKMATES No. 1201 (shown on page 1)

sizes 14, 16 and 18
slipover sweater,
original knitted of COLUMBIA CATALINA
dyed to match FORSTMANN FABRICS
Forstmann skirt—VOGUE PATTERN no. 6160

MATERIALS REQUIRED:

Columbia Catalina (1 ounce skein)

	Size 14	Size 16	Size 18
Saracen No. 7330 (Dark Color)	7 Skeins	10 Skeins	13 Skeins
White No. 7318 (Light Color)	1 Skein	1 Skein	1 Skein

—OR—

Columbia Marcelaine (1 ounce ball)

	Size 14	Size 16	Size 18
Dark Color	6 Balls	9 Balls	12 Balls
Light Color	1 Ball	1 Ball	1 Ball

—OR—

Columbia Colana (1 ounce ball)

	Size 14	Size 16	Size 18
Dark Color	7 Balls	10 Balls	13 Balls
Light Color	1 Ball	1 Ball	1 Ball

Knitting Needles: 1 Pair Standard Size 3—14 inch

Gauge: 7 Sts. to 1 inch

1 Steel Crochet Hook Size 2.

This garment can also be made in Columbia Fingering Yarn or Sports Yarn, using Size 4 Needles. For yarn amounts see Page 30.

SIZES:	**14**	**16**	**18**

FRONT: With Saracen (Dark Color) cast on
107 Sts. 115 Sts. 123 Sts.
Work in Moss St. (K.1, P.1 on uneven number of Sts.) for 1 inch. Change to Stockinette St., decreasing 1 St. each side, then every inch 3 times more. Work 1 inch even, increase 1 St. each side, then every ½ inch 11 times more, at the same time on 11th increasing row work Pattern from Chart (see Page 28). Do not carry yarn across back of work, but use separate balls of yarn, twisting strands when changing color.

To Shape Armholes: Bind off 6 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row
5 times 6 times 7 times

To Shape Neck: Work across
38 Sts. 41 Sts. 44 Sts.
slip these Sts. on St. Holder, bind off 25 Sts., then on remaining Sts. work Right Shoulder. Decrease 1 St. at neck edge every other row 5 times.

To Shape Shoulder: Bind off
11 Sts. 12 Sts. 13 Sts.
at side edge every other row 3 times.
Work Left Shoulder to correspond.

BACK: Work same as Front starting Pattern and back opening as indicated on Chart. For back opening bind off Center St., then work each side to Shoulder. Bind off Shoulders same as Front. Bind off remaining Sts. for back of neck.

SLEEVES: Cast on
79 Sts. 83 Sts. 87 Sts.
Work in Moss St. for 1 inch for Cuff. Change to Stockinette St. and increase 1 St. each side every ½ inch 6 times. When work measures 5½ inches, bind off
7 Sts. 7 Sts. 8 Sts.
at the beginning of each of the next 2 rows, then decrease 1 St. each side every 4th row
4 times 2 times 1 time
then decrease 1 St. each side every other row
5 times 9 times 11 times
On last decreasing row start Pattern (Chart, see Page 28). Work decreases as indicated until 23 Sts. remain, bind off.

Sew shoulder seams, sew Sleeves in place. Sew underarm and sleeve seams. Sew slide fastener in back opening. Turn up Cuffs of Sleeves. Work 1 row of S.C. around neck.

Moss Stitch Band: Cast on 9 Sts. work in Moss St. for about 50 inches. Sew to Blouse (start and end at back opening) outlining Block Pattern as illustrated, sewing seam at center front on wrong side to miter point. Work 1 row of S.C. around outside edge of Band.

MAINLINER No. 1211

(shown on back cover)
sizes 14, 16 and 18
two-piece costume,
original knitted of COLUMBIA CATALINA

MATERIALS REQUIRED:

Columbia Catalina (1 ounce skein)

	Size 14	Size 16	Size 18
Appleberry No. 7321	30 Skeins	33 Skeins	36 Skeins

—OR—

Columbia Colana (1 ounce ball)

Size 14	Size 16	Size 18
30 Balls	33 Balls	36 Balls

—OR—

Columbia Marcelaine (1 ounce ball)

Size 14	Size 16	Size 18
26 Balls	28 Balls	31 Balls

Knitting Needles: 1 Pair Standard Size 3—14 inch
1 Steel Circular Skirt Needle Standard Size 3—29 inch

Gauge: 7 Sts. to 1 inch

1 Steel Crochet Hook Size 2

This garment can also be made in Columbia Sports Yarn or Fingering Yarn, using Size 4 Needles. For yarn amounts see Page 30)

SIZES:	14	16	18

SKIRT: With Circular Needle cast on
480 Sts. 492 Sts. 504 Sts.
join, being careful not to twist Sts.
Start Cable Pattern as follows:

Rows 1 to 5— *P.34 *P.35 *P.36
K.2, P.2, K.2, repeat from * around (12 P. sections).

Row 6— *P.34 *P.35 *P.36
slip next 4 Sts. on Double Point Needle, place in back of work, K.2, then P.2, K.2 from Double Point Needle, repeat from * around.
Rows 7 to 15—Same as Row 1.
Repeat Pattern from Row 6 (twisting Cables every 10th row). When work measures 3 inches from start, decrease 12 Sts. across row by P.2 together in center of each P. section.

Sts. on Needle: 468 Sts. 480 Sts. 492 Sts.
Continue in Pattern St., decreasing 12 Sts. in this manner every inch 18 times more (having 1 St. less in each P. Panel after every decreasing row).

Sts. on Needle: 252 Sts. 264 Sts. 276 Sts.
Work 4 inches even, decrease 12 Sts. as before, then decrease 12 Sts. every inch 3 times more.

Sts. on Needle: 204 Sts. 216 Sts. 228 Sts.
When Skirt measures 30 inches (or desired length), bind off.

Work 4 rows of S.C. around waist. Crochet casing for elastic at inside of waistband (casing see Page 32). Work 2 rows of S.C. around bottom of Skirt.

JACKET—BACK: Cast on
104 Sts. 112 Sts. 120 Sts.
Work in Stockinette St. (K. side is right side of work), decreasing 1 St. each side every inch 6 times.

Sts. on Needle: 92 Sts. 100 Sts. 108 Sts.
When work measures 7 inches from start, increase 1 St. each side, then every 4th row 16 times more.

Sts. on Needle: 126 Sts. 134 Sts. 142 Sts.

When Back measures 14½ inches from start,
To Shape Armholes: Bind off 8 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row
6 times 7 times 7 times

When armhole measures
7½" 7½" 8"

To Shape Shoulders: Bind off
12 Sts. 13 Sts. 14 Sts.
at beginning of each of the next 6 rows, bind off remaining Sts. for back of neck.

RIGHT FRONT: Cast on
66 Sts. 70 Sts. 74 Sts.
Work in Stockinette St. decreasing and increasing at side edge same as Back, at the same time when front edge measures
1½" 1½" 2"
work first Buttonhole as follows: K.2, bind off 4 Sts., K. to end of row. On next row cast on 4 Sts. over bound-off Sts. Work 7 more Buttonholes 2½ inches apart.

When Front measures same as Back to underarm,

To Shape Armhole: Bind off 8 Sts. at side edge, then decrease 1 St. every other row
6 times 7 times 7 times

When front edge measures
20" 20" 20½"

To Shape Neck: Bind off 16 Sts. at front edge, then decrease 1 St. every row 3 times, then every other row
8 times 8 times 9 times

When armhole measures
7½" 7½" 8"

To Shape Shoulder: Bind off
12 Sts. 13 Sts. 14 Sts.
at armhole edge every other row 3 times.

Work Left Front to correspond, omitting Buttonholes.

(Continued on page 23)

No. 1211 (*Continued from page 22*)

SLEEVES: Cast on

	80 Sts.	84 Sts.	88 Sts.

Start Cable Pattern as follows:

Row 1—	P.5	P.7	P.9

*K.2, P.2, K.2, P.10, repeat from * 3 times more, then K.2, P.2, K.2,

	P.5	P.7	P.9
Row 2—	K.5	K.7	K.9

*P.2, K.2, P.2, K.10, repeat from * 3 times more, then P.2, K.2, P.2,

	K.5	K.7	K.9

Row 3—Twist Cables same as on Skirt.

Row 4—Same as Row 2.

Repeat Rows 1 and 2 four times more.

Repeat Pattern from Row 3 (twisting Cables every 10th row), at the same time increasing 1 St. each side every 10th row 5 times. When Sleeve measures 4½ inches from start (or desired length), bind off 8 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every 6th row 4 times, every 4th row

	2 times	1 time	1 time

every other row

	9 times	10 times	10 times

then every row

	8 times	10 times	10 times

Bind off remaining Sts.

Sew shoulder seams. Sew Sleeves in place. Sew underarm and sleeve seams. Work 2 rows of S.C. around edge of Jacket and Sleeves. Face front edges with Grosgrain Ribbon.



No. 1200 KEY TO CHART □ Pearl × Appleberry

No. 1200 (*Continued from page 20*)

APRON: With Pearl cast on 265 Sts. Work 10 Sts. in Moss St. each side (Moss St. see Page 32) for Border and work remaining Sts. in Stockinette St. Work even for 4 inches, then decrease 8 Sts. across row by K. every 29th and 30th St. together. Decrease 8 Sts. having 1 St. less between decreases every 3 inches 3 times more, then decrease 8 Sts. every inch 5 times more. When work measures 22 inches from start, K.2 together across row for fullness, bind off.

BELT: Cast on 10 Sts. Work in Moss St. for

	27″	29″	31″

(or desired length).

Face with Grosgrain Ribbon. Sew center 12 inches to top of Apron. Fasten with snap fasteners.

BORDER: With Pearl cast on 266 Sts. Join 2 Strands of Appleberry and work Pattern St. from Chart (see next column) for 30 rows. Bind off with Pearl. With Pearl work 1 row of S.C. around Border. Sew Border across bottom edge of Apron.

No. 1202 (*Continued from page 2*)

Sts. on Needle:	46 Sts.	50 Sts.	54 Sts.

Work 2 inches even. Start 1st Radar Blue Stripe at side edge with K.1 Blue to form continuation of 1st Blue Stripe on Back, then work 1 St. more with Blue until there are 12 Blue Sts. Work 2nd Blue Stripe in same manner moving Blue Stripes 1 St. every row towards front edge,

AT THE SAME TIME increase 1 St. at side edge every ½ inch 8 times and work Dart at center, increasing 1 St. each side of marker every ½ inch 6 times.

Sts. on Needle:	66 Sts.	70 Sts.	74 Sts.

When work measures same as Back to underarm,

To Shape Armhole: Decrease 1 St. every row

	20 times	22 times	24 times

then increase 1 St. every inch 7 times,

AT THE SAME TIME when front edge measures 14½ inches from start,

To Shape Neck: Decrease 1 St., then every ½ inch 14 times more.

(*Continued on page 24*)

No. 1202 (*Coninued from page 23*)

When armhole measures same as at Back,

To Shape Shoulder: Bind off 6 Sts. every other row 4 times, then 7 Sts. 8 Sts. 9 Sts. every other row 2 times.

Work Left Front to correspond.

SLEEVES: With White cast on

65 Sts. 67 Sts. 69 Sts.

Work even for 1 inch. Join Radar Blue K.1, with White K. across to last St., join 2nd Ball of Radar Blue K.1. Work 1 more St. each side every row with Blue until there are 12 Sts. in Stripe, join White each side, then continue to move Blue Stripe towards center of Sleeve, starting 2nd Blue Stripe when there are 12 Sts. of White each side. Work Stripes to point at center,

AT THE SAME TIME 3 inches from start of Sleeve, increase 1 St. each side, then every other row 19 times more, then every 4th row 24 times.

Sts. on Needle: 153 Sts. 155 Sts. 157 Sts.

When Sleeve measures 19 inches from start (or desired length to underarm), decrease 1 St. each side every row 20 times. Bind off 3 Sts. at beginning of each of the next 12 rows, then 2 Sts. 24 times. Bind off remaining

29 Sts. 31 Sts. 33 Sts.

Sew shoulder seams, sew Sleeves in place. Sew underarm and sleeve seams. Work 1 row of S.C. around edge of Jacket and Sleeves.

No. 1203 (*Continued from page 4*)

Row 13— P.10 P.14 P.18

*K. the 4th St. on left hand needle (inserting needle from left to right across the front of work) leave St. on needle, P. the first 3 Sts. (slip loop of 4th St. off the needle), P.10, repeat from * across, ending

P.10 P.14 P.18

Row 14 — K.10 K.14 K.18

* increase 1 St. in each of the next 2 Sts., P.2 Sts. from pin, increase 1 St. in each of the next 2 Sts., K.10, repeat from * across, ending

K.10 K.14 K.18

Rows 15, 17, 19 and 21—Same as Row 5.

Rows 16, 18, 20 and 22—Same as Row 4.

Row 23—Same as Row 3.

Row 24—Same as Row 2.

Row 25—Same as Row 1.

Row 26—P.

Work in Stockinette St.

Increase 1 St. each side, then every ½ inch 6 times more.

Sts. on Needle: 126 Sts. 134 Sts. 142 Sts.

When work measures 8½ inches from start,

To Shape Armholes: Bind off 10 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 3 times, work Pattern Stripe in same manner as before working first 2 rows as follows:

Row 1—P. across.

Row 2— K.9 K.13 K.17

*P.2, K.18, repeat from * across, ending P.2

K.9 K.13 K.17

After Stripe, continue in Stockinette St. until armhole measures

7" 7½" 8"

To Shape Shoulders: Bind off

11 Sts. 12 Sts. 13 Sts.

at beginning of each of the next 6 rows. Bind off remaining Sts. for back of neck.

RIGHT FRONT: Cast on

61 Sts. 65 Sts. 69 Sts.

Work in Stockinette St. increasing 1 St. at side edge every ½ inch 4 times, at the same time on 4th increasing row start Pattern Stripe as follows:

Row 1—(Right side) P. across to last St., increase 1 St. in last St.

Row 2— K.9 K.13 K.17

*P.2, K.18 repeat from * across ending, K.14.

Continue to work Pattern Stripe in this manner working first Buttonhole on 13th row 2 Sts. from front edge and 4 Sts. wide, Buttonholes see page 32. (work 2nd Buttonhole at center of Stockinette St. Stripe, the 3rd Buttonhole at center of 2nd Pattern Stripe and the 4th Buttonhole ½ inch from neck edge) increasing at side edge same as for Back.

When work measures same as Back to underarm,

To Shape Armhole: Bind off 8 Sts. at side edge, then decrease 1 St. every other row 3 times, then work second Pattern Stripe same as before, working Row 2 as follows:

K.6 K.10 K.14

*P.2, K.18, repeat from *across, ending K.14.

When work measures

13½" 14" 14½"

from start,

To Shape Neck: Bind off

17 Sts. 18 Sts. 19 Sts.

at front edge, then bind off 2 Sts. at neck edge every other row 6 times.

When armhole measures same as at Back,

To Shape Shoulder: Bind off

11 Sts. 12 Sts. 13 Sts.

at side edge every other row 3 times.

Work Left Front to correspond omitting Buttonholes (starting Row 2 of Pattern Stripe K.14).

(*Continued on page 25*)

No. 1203 *(Contined from page 24)*

SLEEVES: Cast on

84 Sts. 88 Sts. 92 Sts.

Work in Stockinette St., increasing 1 St. each side every ½ inch 5 times. When work measures 4½ inches from start, bind off 7 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 3 times. Work Pattern Stripe to match Stripe on Front and Back starting Row 2

K.16 K.18 K.20

at the same time decrease 1 St. each side every 4th row

6 times 7 times 8 times

then 1 St. each side every other row

10 times 11 times 12 times

Bind off 2 Sts. at beginning of each of the next 6 rows, then 3 Sts. at beginning of each of the next 6 rows, bind off remaining Sts.

Sew shoulder seams, sew Sleeves in place. Sew underarm and sleeve seams. Work 1 row of S.C. around Neck and Sleeves. Face front edges with Grosgrain Ribbon. Sew Blouse to Skirt, overlapping Front 1¼ inches at center.

Belt: Vogue Belts, New York.

No. 1205 *(Continued from page 8)*

Sts. on Needle: 144 Sts. 152 Sts. 160 Sts.

When work measures

8″ 8½″ 9″

To Shape Armholes: Bind off 6 Sts. at beginning of each of the next 2 rows, then 2 Sts. at beginning of next 4 rows, then decrease 1 St. each side every other row 8 times.

Divide Sts. for back opening. K. to center, slip remaining Sts. on St. Holder, work right side of Back even until armhole measures

7½″ 7½″ 8″

To Shape Shoulder: Bind off

12 Sts. 13 Sts. 14 Sts.

at armhole edge every other row 3 times, bind off remaining

18 Sts. 19 Sts. 20 Sts.

for back of neck.

Work Left side of Back to correspond.

FRONT: Work same as Back until work measures

13″ 13½″ 14½″

from start (omitting Back opening).

To Shape Neck: Bind off 20 Sts. at center. Work each Shoulder separately. Decrease 1 St. at neck edge every other row

8 times 9 times 10 times

When armhole measures same as at Back,

To Shape Shoulder: Bind off

12 Sts. 13 Sts. 14 Sts.

at side edge every other row 3 times.

SLEEVES: Cast on

80 Sts. 80 Sts. 96 Sts.

Work in Pattern St. same as Back, increasing 1 St. each side every 3rd row

12 times 12 times 8 times

Sts. on Needle: 104 Sts. 104 Sts. 112 Sts.

When work measures 5 inches from start, bind off 6 Sts. at beginning of each of the next 2 rows, then 2 Sts. at beginning of next 10 rows, then decrease 1 St. each side every other row until

24 Sts. 24 Sts. 26 Sts.

remain, bind off.

Sew shoulder seams, sew Sleeves in place, sew sleeve and underarm seams, leaving 5 inches open on left side for placket. Work 1 row of S.C. around neck and back opening, then on second row Ch. 12 small loops for Buttonholes on Right Back edge of opening.

Work 1 row of S.C. around sleeve edge.

Sew Blouse to Skirt. Crochet casing for elastic (see Page 32) at inside of waistline. Sew slide fastener in placket opening.

Belt: Vogue Belts, New York.

No. 1206 *(Continued from page 10)*

To Shape Armhole: Bind off 8 Sts. at side edge, then decrease 1 St. every other row 7 times.

Sts. on Needle: 52 Sts. 57 Sts. 62 Sts.

When front edge measures

22½″ 23″ 23½″

To Shape Neck: Bind off

14 Sts. 15 Sts. 16 Sts.

at front edge, then 2 Sts. every other row 5 times.

When armhole measures same as at Back,

To Shape Shoulder: Bind off

14 Sts. 16 Sts. 18 Sts.

every other row 2 times.

RIGHT FRONT: With single strand of yarn cast on

42 Sts. 47 Sts. 52 Sts.

Work in Stockinette St. for 4 rows, casting on 25 Sts. at end of 4th row. K.2 rows. Join second strand and work in Pattern St. to correspond with Left Front (having decreases at opposite sides).

(Continued on page 26)

No. 1206 (*Continued from page 25*)

SLEEVES: With single strand of yarn cast on 87 Sts., work hem same as on Back. Join second strand of yarn and work in Pattern St. for

	6″	5″	5″

Increase 1 St. each side, then every inch

	4 times more	4 times more	9 times more
Sts. on Needle:	97 Sts.	97 Sts.	107 Sts.

having

	1 Pattern	1 Pattern	2 Patterns

more each side.

When Sleeve measures

	17″	18″	18″

from turn of hem (or desired length to underarm), bind off 7 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row

	20 times	19 times	22 times
Sts. on Needle:	43 Sts.	45 Sts.	49 Sts.

Bind off 2 Sts. at beginning of next 4 rows, then 3 Sts. at beginning of next 4 rows, bind off remaining Sts.

Right Front Facing: With 2 strands of yarn cast on 25 Sts. Work in Stockinette St. for 16 inches even. Increase 1 St. at inside edge (beginning of K. row), then every inch 6 times more. When work measures same length as front edge of Coat,

To Shape Neck: Bind off 14 Sts. at beginning of next P. row, then 2 Sts. every other row 5 times. On remaining 8 Sts. work even for 2 inches, ending with a P. row, then work short rows for back of neck as follows:

Row 1—K.6. turn.

Row 2—Slip 1, P.5, turn.

Row 3—K.8.

Row 4—P.8.

Repeat these 4 rows once more, bind off.

Work Left Front Facing to correspond, having increases and decreases at opposite sides.

POCKET: (Make 2) With 2 strands of yarn cast on 37 Sts. Work even in Pattern St. for 6 inches, ending with Row 3 of Pattern. K.1 row, P.1 row, for 1¼ inches for Border, bind off.

Sew shoulder seams. Turn up hems and sew. Join Facings at center back, place right side of Facing to right side of Coat and sew across bottom, front and neck edge. Turn right side out and sew inside edge of Facing to wrong side of Coat. Sew Sleeves in place, sew underarm and sleeve seams. Turn down Border of Pockets and sew. Sew Pockets in place as illustrated.

No. 1208 (*Continued from page 14*)

SLEEVES: Cast on

	68 Sts.	70 Sts.	72 Sts.

Work in Stockinette St. for ¾ inch. P. 1 row on right side for turn of hem. Work even for 12 rows. Increase 1 St. each side, then every 3rd row 45 times.

Sts. on Needle:

	160 Sts.	162 Sts.	164 Sts.

When Sleeve measures 12½ inches from start (or desired length to underarm), bind off 4 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 5 times, then (continuing to decrease 1 St. every other row at each side) at the same time K. the 25th and 26th St. from each side together every 4th row until 56 Sts. remain, then bind off 2 Sts. at beginning of each row and decrease 2 Sts. at center every other row until 16 Sts. remain, bind off.

Sew seam at center Front and gather for 1 inch at neck. Sew shoulder seams, sew Sleeves in place. Sew sleeve and underarm seams leaving 4 inches open at left side for placket. Sew Blouse to Skirt. Sew slide fastener in placket. Turn up hem of Sleeves and sew.

PATTERN STITCH FOR BELT (Multiple of 11 Sts. plus 9)

Row 1—K.9, *P.2, K.9, repeat from * across.
Row 2—P.9, *K.2, P.9, repeat from * across.
Row 3—P.1, *K.9, P.2, repeat from * across, end K.8.
Row 4—P.8, *K.2, P.9, repeat from * across, end K.1.
Row 5—P.2, *K.9, P.2, repeat from * across, end K.7.
Row 6—P.7, *K.2, P.9, repeat from * across, end K.2.
Row 7—K.1, *P.2, K.9, repeat from * across, end K.6.
Row 8—P.6, *K.2, P.9, repeat from * across, end P.1.

Continue to move Pattern 1 St. to the left every other row in this manner.

Belt: Cast on 64 Sts. Work in Pattern St. for

	26″	28″	30″

bind off. Gather at each end to measure 3 inches. Work 1 row of S.C. around Belt. Fasten with hooks and eyes and snap fasteners at left side.

Sash: (Around hips) Cast on 75 Sts. Work in Pattern St. same as Belt increasing 1 St. each side every 4th row 11 times (97 Sts. on needle). Work even until work measures

	27″	29″	31″

then decrease 1 St. each side every 4th row 11 times. Bind off. Gather at each end to 3 inches. Work 1 row of S.C. around. Sew 4 hooks and eyes at each end to fasten.

Drape: Cast on 128 Sts. Work in Moss St. (Moss St. see page 32) for 1 inch, then continuing 10 Sts. in Moss St. each side for Border, work remaining Sts. in Pattern St. Work even for 10 inches, then K.2 together (inside of Border) each side every inch until work measures 26 inches from start. Bind off.

(*Continued on page 27*)

No. 1208 (*Continued from page 26*)

Work another piece the same until work measures 23 inches from start, then bind off 24 Sts. at center, join remaining Sts. and work in Stockinette St. (continuing Borders) for 3 inches. Bind off. Fold the 24 bound-off Sts. in Box Pleat and sew in place. Sew the bound-off edge to waistline of Dress 2 inches from placket. Fold Box Pleat on first Drape to measure 4 inches across top, sew to waistline 1 inch from placket. Sew one end of Sash between the long Drapes (starting at waistline) down center of Strip. Drape around hips and fasten.

Collar: Cast on 20 Sts. Work even in Pattern St. for 6 inches, then increase 1 St. at left edge, then every inch 2 times more (23 Sts. on needle). Work even for 5 inches, then decrease 1 St. at left edge, then every inch 2 times more. Work 6 inches even, bind off.

Sew left edge of Collar around neck, tapering at each end.

Turn under 2 Sts. of outside edge of Collar and sew.

No. 1209 (*Continued from page 16*)

BACK: Work same as Front to Shoulder (omitting neck opening),

To Shape Shoulders: Bind off

10 Sts. 11 Sts. 12 Sts.

at beginning of each of the next 6 rows. Bind off remaining Sts. for back of neck.

SLEEVES: Cast on

52 Sts. 56 Sts. 60 Sts.

Work in Stockinette St. for ¾ inch. P.1 row on right side for turn of hem. Continuing in Stockinette St., increase 1 St. each side every inch

17 times 15 times 13 times

When Sleeve measures 18 inches (or desired length) from P. row, bind off 8 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 29 times, at the same time on 5th decreasing row start Stripe Pattern as on Front. Bind off remaining Sts.

Pockets: Cast on 54 Sts. Work in Stockinette St. decreasing 1 St. each side every inch 6 times, at the same time when work measures 3¼ inches from start, work Pattern Stripe as on Blouse. Work 3 rows of Brown, then K. 1 row on wrong side for turn of hem, then work in Stockinette St. for ½ inch, bind off.

Sew shoulder seams leaving 4 inches open at neck edge on Left Shoulder. Sew Sleeves in place (matching Stripes), sew sleeve seams. Sew underarm seams leaving 9 inches open at left side for Placket. Turn up and sew hem at bottom of Blouse, Sleeves and on Pockets. Sew Pockets in place as illustrated. Sew slide fastener in Placket. Work 3 rows of S.C. around Neck. Sew snap fasteners in shoulder opening.

Belt: Vogue Belts, New York.

No. 1210 (*Continued from page 18*)

FRONT: Work same as Back until work measures 3 inches from cast-on Sts. at underarm (measured straight)

To Shape Neck: Work over

59 Sts. 66 Sts.

slip these Sts. on St. Holder. Bind off 49 Sts., on remaining Sts. work Right Shoulder, increasing 1 St. at neck edge every other row 24 times (continuing increases at sleeve edge same as for Back). Bind off 6 Sts. at neck edge, then decrease 1 St. every other row 17 times, at the same time when sleeve edge measures same as at Back.

To Shape Shoulder: Bind off

28 Sts. 32 Sts.

at armhole edge once, then bind off

12 Sts. 13 Sts.

every other row 3 times.

Work Left Shoulder to correspond.

Sew shoulder seams. Sew underarm seams. Work 1 row of S.C. around bottom of Peplum. Work 3 rows of S.C. around sleeve edge. Work 2 rows of S.C. around neck. Sew snap fastener at neck edge. Crochet casing for elastic at inside of waistband. (Casing see Page 32)



Columbia All-In-One Argyle Sock Pack

Here's all the 100% wool, shrink-resistant yarn you need for a pair of Argyles, any size, in one neat pack, PLUS really easy-to-follow instructions.

When you see the handsome color combinations, you'll want to knit several pairs to perk up your favorite man's wardrobe.

And you can be sure they'll stay soft-feeling and smart-looking for years—for Columbia yarns are made of long staple wool, Lees-Spun in America by the English Bradford System. Start a pair today, and make a tidy saving over the cost of Argyles anywhere.



No. 1201

KEY TO CHART

□ Saracen

× White

Sizes 14 16 18

No. 1207

KEY TO CHART: □ Clover Mauve; — White



Sizes 14 16

APPROXIMATE YARN AMOUNTS TO BE SUBSTITUTED FOR NUMBER OF SKEINS OR BALLS USED IN ORIGINAL GARMENT

ORIGINAL GARMENT MADE IN CATALINA (1 oz. skein) number of skeins	1	7	10	12	13	15	16	17	21	23	25	30	33	34	36	37	40
Sports Yarn (2 oz. ball) number of balls	1	3	4	5	5	6	6	6	7	8	9	11	12	12	13	13	14
Fingering Yarn (2 oz. skein) number of skeins	1	3	4	4	5	6	6	6	7	8	9	10	11	12	12	13	14
Zephyrdown (1 oz. ball) number of balls	1	4	6	6	7	8	8	9	11	12	13	16	17	18	19	19	21

ORIGINAL GARMENT MADE IN MARCELAINE (1 oz. ball) number of balls	2	33	35	36	37	38	39
Sports Yarn (2 oz. ball) number of balls	1	14	15	15	16	16	17
Fingering Yarn (2 oz. skein) number of skeins	1	14	14	15	15	15	16
Zephyrdown (1 oz. ball) number of balls	2	21	22	22	23	23	24

ORIGINAL GARMENT MADE IN FINGERING YARN (2 oz. skein) number of skeins	8	9	10
Marcelaine (1 oz. ball) number of balls	21	23	26
Colana (1 oz. ball) number of balls	25	28	31
Catalina (1 oz. skein) number of skeins	25	28	31

APPROXIMATE YARDAGE
OF
COLUMBIA YARNS

CATALINA (1 ounce skein—about 130 yards to a skein)

MARCELAINE (1 ounce ball—about 155 yards to a ball)

COLANA (1 ounce ball—about 130 yards to a ball)

FINGERING YARN (2 ounce skein—about 395 yards to a skein)

SPORTS YARN (2 ounce ball—about 373 yards to a ball)

HEATHER SPORTS YARN (2 ounce ball—about 373 yards to a ball)

ZEPHYRDOWN (1 ounce ball—about 256 yards to a ball)

PRINCESS YARN (1 ounce ball—about 128 yards to a ball)

BABY YARN (1 ounce ball—about 223 yards to a ball)

FEATHERWEIGHT KNITTING WORSTED (2 ounce skein—about 233 yards to a skein)

HEATHER FEATHERWEIGHT KNITTING WORSTED (2 ounce skein—about 233 yards to a skein)

SOCK AND SWEATER YARN (2 ounce ball—about 245 yards to a ball)

HEATHER SOCK AND SWEATER YARN (2 ounce ball—about 245 yards to a ball)

POMPADOUR (1 ounce ball—about 210 yards to a ball)

AFGHAN GERMANTOWN (2 ounce skein—about 210 yards to a skein)

KNITTING WORSTED (4 ounce skein—about 280 yards to a skein)

HEATHER KNITTING WORSTED (4 ounce skein—about 280 yards to a skein)

OMBRE KNITTING WORSTED (2 ounce skein—about 140 yards to a skein)

TAPESTRY YARN (about 40 yards to a skein)

LUSTRA YARN (2 ounce skein—about 122 yards to a skein)

WORSTED RUG YARN (1 ounce skein—about 19 yards to a skein)

SOCK YARN (1 ounce ball—about 200 yards to a ball)

ARGYLE SOCK PACKAGE (3 ounces—sufficient to make one pair of socks)

General Instructions

ABBREVIATIONS USED IN KNITTING AND CROCHET INSTRUCTIONS

K.—Knit
P.—Purl
Ch.—Chain
S. C.—Single Crochet
D. C.—Double Crochet
Tr. C.—Treble Crochet
St.—Stitch
Y. O.—Yarn Over
Slip St.—Slip Stitch
H. D. C.—Half Double Crochet

ASTERISKS * — * *. Star symbols indicate that work between them is to be repeated. When instructions call for repeating a given number of times it is understood that this is in addition to the original. Thus repeat 5 times more means 6 times in all.

GARTER STITCH: (Plain Knitting) K. every row.

RIB: 2 rows of Garter Stitch.

STOCKINETTE STITCH: K. 1 row, P. 1 row alternately. On Circular or Sock Needles knit continuously.

MOSS STITCH: K. 1 St., P. 1 St., on uneven number of Sts. On even number of Sts., K. 1 St., P. 1 St., across row; next row, P. 1 St., K. 1 St., across row.

TO INCREASE: K. 2 Sts. in 1 Stitch (Knitting 1 St. in the front and 1 St. in the back of same St.).

TO DECREASE: K. 2 Sts. together.

TO WORK EVEN: Work without increasing or decreasing.

BUTTONHOLES: Bind off the given number of stitches, this same number of stitches to be cast on on the next row directly over the bound-off stitches. Work around buttonholes in Buttonhole Stitch.

For Crocheted Buttonholes—Chain the desired number of stitches, skip the same number of stitches on previous row and on next row, work over the chain stitches.

FINISHING A NEW GARMENT

BLOCKING: Using rust-proof pins, pin each piece, wrong side out, on a pressing board in exactly the line you wish to retain. Use a damp cloth and moderately hot iron, press lightly, allowing the steam to go through the garment. Lay it on a flat surface until thoroughly dry.

JOINING: Sew pieces together, being careful that the edges meet evenly. Be careful to match rows wherever possible.

BEADING: Fasten yarn, chain 5, * skip 2 stitches, 1 double crochet in next stitch, chain 2, repeat from * around edge of garment.

CASING FOR ELASTIC (Inside at waistline): Fasten yarn, * chain 5, skip 2 stitches, 1 slip stitch in stitch ½ inch below next stitch, chain 5, skip 2 stitches, 1 slip stitch in next stitch ½ inch above, repeat from *.

WASHING: Make suds in lukewarm water using mild alkali free flakes such as *Ivory Soap Flakes*. For superior washing results, the addition of a good water normalizer, such as Calgon, to your soap and water is recommended. Likewise, for improved rinsing results, the addition of Calgon or some other good water normalizer is beneficial. Squeeze suds through fabric. Do not rub. Handle gently, do not lift out of water, as the weight of the wet garment will stretch it. Keep garment supported by the hands when squeezing out water. Rinse thoroughly three times in lukewarm normalized water. Squeeze out as much water as possible, do not twist or wring, and roll in dry turkish towels to absorb excess moisture. Shape garment according to measurements and lay it on a turkish towel on a flat surface until thoroughly dry. Ribbing should be eased in so that it will fit as snugly as when new. Never dry in sun or excessive heat.

This Is Important

DYE LOTS: Be sure to buy sufficient yarn at one time to complete your garment, making certain that each ball or skein has an identical set of dye lot letters, this is printed on the Band around the yarn, and is beside the color number.

GAUGE: Each Columbia Instruction gives a Gauge or Scale of the number of stitches to the inch when using the yarn and needles called for. If you work tighter than the average, change to larger needles; if you work looser, change to smaller needles, to acquire the same number of stitches to the inch called for in the instructions.

For complete satisfaction in the making of your hand-knitted garments illustrated in this book we recommend Columbia yarns in the types specified. Also be sure and follow detailed instructions as to size of needles and gauge.

If you are unable to obtain Columbia yarns in your local Art Needlework Department or Yarn Shop, write to James Lees and Sons Company, Bridgeport, Pa. and we will send you the name of the Columbia dealer nearest you.

STANDARD BODY MEASUREMENTS

Sizes	—14	—16	—18	—20
Bust	—32″	—34″	—36″	—38″
Waist	—26½″	—28″	—30″	—32″
Hips	—35″	—37″	—39″	—41″

LEAD THE FASHION PARADE

USE COLUMBIA KNITTING BOOKS

VOLUME No. 111 COLUMBIA STYLE BOOK

High style dresses, suits, coats and evening dresses. Sizes in this book include 12, 14, 16, 18 and 20.

VOLUME No. 110 COLUMBIA AFGHAN BOOK

A collection of twelve favorite afghans—knitted and crocheted. Among the favorites are beautiful cross stitch patterns.

VOLUME No. 109 COLUMBIA KNITTING MANUAL

Valuable tips for beginners and experienced workers. Illustrations of and instructions for fundamental stitches and pattern stitches. Basic garments and accessories for infants, children, men and women.

VOLUME No. 108-a COLUMBIA STYLE BULLETIN

High style dress and suit—crocheted hat, bag and cuff set. Sizes in this bulletin include 12, 14, 16 and 18.

VOLUME No. 108 COLUMBIA STYLE BOOK

High style dresses, suits and coats—cardigans, slipovers and sleeveless sweaters. Sizes in this book include 12, 14, 16, 18 and 20.

VOLUME No. 107 COLUMBIA HAND KNITS

Dresses, two-piece suits, cardigans, sleeveless sweaters, evening blouses and the "ARROWHEAD" Indian coat.

VOLUME No. 106 COLUMBIA NOVELTY BOOK

New ideas in accessories, hats, purses, muffs, scarfs, bed jackets, beach shorts and halter, gloves, mittens, socks and knitting bags.

VOLUME No. 105 COLUMBIA CASUAL AND STAPLE SWEATERS

Sweaters designed for comfort and service—cardigans, slipovers and sleeveless sweaters. Instructions are written in sizes 14, 16, 18 and 20.

VOLUME No. 104 COLUMBIA BABY BOOK

Infant sets, sweaters, accessories, mother bed jackets with matching infant sacques and also children's garments up to size 5.

VOLUME No. 103 COLUMBIA HAND KNITS

Dresses, cardigans, slipovers, vests for men and women, hat and purse sets, fascinators and the "CATHAY" Coolie Coat.

VOLUME No. 102 COLUMBIA AFGHAN BOOK

Fifteen knitted and crocheted afghans, including the two COLONIAL HEIRLOOM AFGHANS — THE CHESTERTOWN and THE MOUNT VERNON.

VOLUME No. 98 COLUMBIA MEN'S BOOK

A complete assortment of knitted sweaters, socks, gloves and scarfs for men.

Another famous product . . . Lees carpets

JAMES LEES AND SONS COMPANY

Bridgeport, Penna.

NEW YORK OFFICE: 295 Fifth Avenue
New York 16, N. Y.

CHICAGO OFFICE: 222 N. Bank Drive
Chicago 54, Ill.

LOS ANGELES OFFICE: 722 S. Los Angeles St.
Los Angeles 14, Calif.

MAINLINER Nº 1211

instructions on page 22

JAMES LEES AND SONS CO.
Bridgeport, Pa.
Makers of fine Columbia yarns